AD-A040 098

ILLINOIS UNIV AT URBANA-CHAMPAIGN DEPT OF CHEMISTRY F/6 7/3
EXOTHERMIC CYCLIC PEROXIDE REACTIONS. DECOMPOSITION OF A 1,2,4---ETC(U)
MAY 77 G B SCHUSTER, L A BRYANT N00014-76-C-0745
NL

UNCLASSIFIED

AD AO40098
















END
DATE
FILMED
6 - 77



, -	Unclassified	
	REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
\sim	1. REPORT NUMBER 2. GOVT ACCESSION NO NO. NO. 14-76-C-0745-05	. 3. RECIPIENT'S CATALOG NUMBER
∞	4. TITLE (end Subtitle)	8. TYPE OF REPORT & PERIOD COVERED
0	Exothermic Cyclic Peroxide Reactions.	9) Technical rept
	Decomposition of a 1,2,4-Trioxane.	6. PERFORMING ORG. REPORT NUMBER
_	and the state of t	
AD A G 4 (7. AuTHOR(s)	. CONTRACT OR GRANT NUMBER(*)
	Gary B. Schuster Lynn A. Bryant (5)	N 00014-76-C-0745
	9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK
	Department of Chemistry University of Illinois	NR-051-616
d	Urbana Illinois 61801	12. REPORT DATE
	Chemistry Program, Materials Science Division,	23 May 23 1977
	Office of Naval Research, 800 N. Quincy St.,	13. NUMBER OF PAGES
	Arlington. VA 22217 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	18. SECURITY CLASS. (of this report)
		Unclassified
		184, DECLASSIFICATION/DOWNGRADING
	16. DISTRIBUTION STATEMENT (of this Report)	
	Approved for Public Release, Distribution Unlimited.	
	17. DISTRIBUTION STATEMENT (of the abetract entered in Blook 20, if different for	MEGEMAEN
		JUN 2 1977
	18. SUPPLEMENTARY NOTES	A PORTUGUE
	19. KEY WORDS (Continue on reverse side if necessary and identify by block number	
	Peroxide	
	Thermal decomposition	
	Biradical Biradical	
>		
1	20. ABSTRACT (Continue on reverse side if necessary and identify by block number)	
LE CO	Thermolysis of trioxane I in degassed octane solution resulted in the formation of acetone and adipaldehyde. The reaction was shown to be unimolecular with a free energy of activation of 39 kcal/mole. Although chemiluminescence from this decomposition is possible on energetic grounds, none	
LL.	was detected.	
=	Vou 4	
3	DD I JAN 73 1473 EDITION OF 1 NOV 45 IS OBSOLETE	08 087

* Trans 4-4-dimelhyl-2-3-5-trioxabicyclo-4-4-0-decane

THE PERSON NAMED IN THE PE

OFFICE OF NAVAL RESEARCH
Contract NO014-76-C-0745

Task No. NR-051-616

TECHNICAL REPORT NO. NO014-76-C-0745-05

Exothermic Cyclic Peroxide Reactions.

Decomposition of a 1,2,4-Trioxane.

by

Gary B. Schuster and Lynn A. Bryant


Prepared for Publication

in

Tetrahedron Letters

School of Chemical Sciences University of Illinois Urbana, Illinois 61801

May 23, 1977



Reproduction in whole or in part is permitted for any purpose of the United States Government

Approved for Public Release; Distribution Unlimited.



Gary B. Schuster* and Lynn A. Bryant

Department of Chemistry

Roger Adams Laboratory

University of Illinois, Urbana, Illinois 61801

Recent reports on the thermolysis of cyclic peroxides^{1,2} and the suggestion that the cyclic as-trioxane ring may be a key chemiluminescent intermediate³ prompt us to communicate our results on the thermolysis of trans-4,4-dimethyl-2,3,5-trioxabicyclo[4.4.0]decane (1).

Peroxide 1 was prepared by the procedure of Payne⁴ from cyclohexene, acetone and hydrogen peroxide. Purification was accomplished by repeated crystallization from pentane followed by distillation at reduced pressure to yield analytically pure peroxide. Analysis of the 220 MHz proton nmr spectrum of 1 revealed the ring junction to be trans⁵.

Degassed solutions of peroxide 1 in octane or diphenyl ether were thermolyzed at temperatures ranging from 189°C to 160°C. Analysis of the resulting product mixture by mass and nmr spectroscopy and gas chromatography revealed acetone (2) and adipaldehyde (3). The yield of acetone was essentially quantitative, however, the amount of aldehyde 3 formed was dependent upon the extent of reaction. Extrapolation to very low conversion indicated that the adipaldehyde was formed in ca. 95% yield. Independent control experiments confirmed that aldehyde 3 was unstable under the reaction conditions.

Investigation of the kinetics for the decomposition of peroxide 1 indicated that the rate of reaction was cleanly first order in peroxide concentration for at least four

A second common reaction of alkoxy radicals is α-cleavage to form carbonyl compounds. Biradical 4 must break two α-bonds to form the observed products. Three choices for the sequence of bond breaking steps from this intermediate seem apparent. First, if the bond labeled a (Scheme) cleaves first, acetone and a 1,4-biradical will be formed. It should be noted that this 1,4-biradical is the anticipated intermediate in the chemiluminescence of the corresponding 1,2-dioxetane. Alternatively, initial cleavage of the bond labeled b would generate the 1,4-biradical resulting from the as yet unknown 1,3-dioxetane ring system. Finally, bonds a and b could cleave simultaneously generating the observed products in one step from the 1,6-biradical. Our results cannot distinguish between these possible reaction pathways.

Peroxide 1 is potentially a chemiluminescent intermediate. Group equivalent calculations indicate that the reaction of 1 to 2 and 3 is exothermic by 1 ca. 37 kcal/mole. Inclusion of the observed activation energy suggests that 1 ca. 77 kcal/mole is available for the formation of electronically excited states. This quantity is sufficient to populate the triplet state of acetone. Unfortunately, the high temperatures necessary to decompose peroxide 1 interfers with the luminescent process. No chemiluminescence was observed during reactions of 1.

In summary, we have observed that upon thermolysis the relatively stable cyclic peroxide $\frac{1}{2}$ undergoes unimolecular cleavage to form carbonyl compounds $\frac{2}{2}$ and $\frac{3}{2}$ with high efficiency. In addition, the suspected intermediate biradical formed from homolysis of the oxygen-oxygen bond must rearrange rapidly (most probably) by an α -cleavage reaction. Finally, no

chemiluminescence was observed during this reaction although sufficient energy is available to form the lowest triplet state of the observed products.

Acknowledgment. This work was supported in part by the Office of Naval Research and in part by the donors of the Petroleum Research Fund administered by the American Chemical Society.

References

C. C. S. C.

- 1. W. Adam and N. Duran, <u>J. Am. Chem. Soc.</u>, 99, 2729 (1977).
- 2. W. Adam and J. Sanabia, Angew. Chem. internat. Edit., 12, 843 (1973).
- 3. T. Goto and H. Nakamura, Tetrahedron Letters, 4627 (1976).
- 4. G. B. Payne and C. W. Smith, <u>J. Org. Chem.</u>, 22, 1682 (1957).
- 5. Nmr (δ , CCl) δ 1.3 (singlet), δ 1.6 (singlet), δ 3.68 (multiplet), J, 11 Hz, 8 Hz, 3.5 Hz.
- 6. C. Walling, H. P. Waits, J. Milovanovic, and C. G. Pappiaonnou, J. Am. Chem. Soc., 92, 4927 (1970).
- 7. J. Y. Koo and G. B. Schuster, <u>J. Am. Chem. Soc.</u>, 99, 0000 (1977).
- 8. S. W. Benson, F. R. Cruickshank, D. B. Golden, G. R. Haugen, H. E. O'Neal, A. S. Rodgers, R. Shaw, and R. Walsh, <u>Chem. Revs.</u>, <u>69</u>, 279 (1969).

ONR TECHNICAL REPORT DISTRIBUTION LIST

No. Copies	No. Copies
Office of Naval Research Arlington, Virginia 22217 Attn: Code 472 2	Commander Naval Undersea Research & Development Center
Office of Naval Research Arlington, Virginia 22217	San Diego, California 92132 Attn: Technical Library, Code 133 1
Attn: Code 102IP 6 ONR Branch Office 536 S. Clark Street	Naval Weapons Center China Lake, California 93555 Attn: Head, Chemistry Division 1
Chicago, Illinois 60605 Attn: Dr. George Sandoz 1 ONR Branch Office	Naval Civil Engineering Laboratory Port Hueneme, California 93041 Attn: Mr. W. S. Haynes 1
715 Broadway New York, New York 10003 Attn: Scientific Dept. 1 ONR Branch Office	Professor O. Heinz Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940 1
1030 East Green Street Pasadena, California 91106 Attn: Dr. R. J. Marcus 1 ONR Branch Office	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380
760 Market Street, Rm. 447 San Francisco, California 94102 Attn: Dr. P. A. Miller 1 ONR Branch Office	Dr. M. A. El-Sayed University of California Department of Chemistry Los Angeles, California 90024
495 Summer Street Boston, Massachusetts 02210 Attn: Dr. L. H. Peebles 1 Director, Naval Research Laboratory	Dr. M. W. Windsor Washington State University Department of Chemistry Pullman, Washington 99163
Washington, D.C. 20390 Attn: Library, Code 2029 (ONRL) 6 Technical Info. Div. 1 Code 6100, 6170 1	Dr. E. R. Bernstein Colorado State University Department of Chemistry Fort Collins, Colorado 80521 1
The Asst. Secretary of the Navy (R&D) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350 1	Dr. C. A. Heller Naval Weapons Center Code 6059 China Lake, California 93555
Commander, Naval Air Systems Command Department of the Navy Washington, D.C. 20360 Attn: Code 310C (H. Rosenwasser) 1	Dr. G. Jones, II Boston University Department of Chemistry Boston, Massachusetts 02215
Defense Documentation Center Building 5, Cameron Station Alexandria, Virginia 22314 12	Dr. M. H. Chisholm Chemistry Department Princeton, New Jersey 08540 1
U.S. Army Research Office P.O. Box 12211 Research Triangle Park, North Carolina	Dr. J. R. MacDonald Code 6110 Chemistry Division
Attn: CRD-AA-IP 1	Naval Research Laboratory Washington, D.C. 20375

THE PROPERTY OF THE PARTY OF TH

ONR TECHNICAL REPORT DISTRIBUTION LIST

No. Copies

Dr. G. B. Schuster Chemistry Department University of Illinois Urbana, Illinois 61801

1

Dr. E. M. Eyring University of Utah Department of Chemistry Salt Lake City, Utah

THE RESERVE OF THE PARTY OF THE

1

Dr. A. Adamson
University of Southern California
Department of Chemistry
Los Angeles, California 90007 1

Dr. M. S. Wrighton
Massachusetts Institute of Technology
Department of Chemistry
Cambridge, Massachusetts 02139 1